FEx Net 2022 Collated SAQs: Cardiology Questions

1. AF
2. AF
3. Anorexia
4. APO
5. APO
6. APO
7. APO
8. Broad Complex
9. Broad Complex
10. Broad Complex
11. Broad Complex
12. Broad Complex
13. Broad Complex
14. Broad Complex
15. Broad Complex
16. Bradycardia
17. BCT differential
18. BCT differential
19. BCT Differential
20. Chest Pain
21. Chest pain
22. Chest Pain
23. Chest Pain
24. Chest Pain
25. Chest Pain
26. Chest Pain
27. Chest Pain
28. CP Fever
29. CP Fever
30. CP post MI
31. CHF
32. Dizziness
33. Dizziness
34. ECHO
35. Hypertension
36. Hypertension
37. Murmurs
38. Narrow Complex
39. Narrow Comple
40. OOHCA
41. OOHCA
42. Pacemaker
43. Pacemaker
44. Pacemaker
45. Paeds NCT
46. Paeds Syncope
47. Palpitations
48. Rheumatic Fever
49. STEMI differential
50. STEMI Differential
51. STEMI
52. STEMI
53. STEMI
54. STEMI
55. STEMI
56. STEMI
57. STEMI
58. STEMI
59. STEMI
60. SVT
61. Syncope
62. Syncope
63. Syncope
64. Syncope
65. Syncope
66. Syncope
67. Syncope
68. Syncope
69. Syncope
70. Syncope
71. Syncope
72. Syncope
73. Syncope
74. Syncope

Question 1 (19 Marks)

A 50 year old man presents to your ED with palpitations.

On examination, you have found him to be in atrial fibrillation with a rapid ventricular rate.

1. List your criteria for consideration of this man for cardioversion in the ED. (4 marks)

2. List 2 drugs you could use for chemical cardioversion. For each drug, give the dose and 2 contra-indications. (8 marks)

Drug	Dose	Contra-indications

3. List 3 drugs you could use intravenously for rate control. For each drug, give the dose. (6 marks)

_____

_____

_____

4. How would you assess this man's risk of thrombo-embolism? (1 mark)

_____

Question 2 (12 Marks)

An elderly female is referred to your Emergency Department by her GP for review of new onset Atrial Fibrillation:

Observations:
GCS 15/15
BP 110/60
Sat 95% on RA
RR 18 per min

1. **List 4 potential causes for Atrial fibrillation.** **(4 Marks)**

Your registrar asks you whether to aim for rhythm or rate control .

2. **List 2 factors which would make you consider rhythm control in this lady and 2 factors which would make you consider rate control**

(4 Marks)

Rhythm Control

Factors
1
2

Rate Control

Factors
1
2

3. Your registrar asks you whether she needs to be anticoagulated.


List 4 factors you would consider for the above decision.

(4 Marks)

Question 3

An 18 year old girl is brought to ED after a collapse. She has a history of anorexia nervosa.

Her ECG is provided.



Question 3 (14 Marks)

An 18 year old girl is brought to ED after a collapse. She has a history of anorexia nervosa.

Her ECG is provided in the **BELOW**.

1. What is the **most important** abnormality shown on her ECG? (1 mark)

_____

2. List one other associated abnormalities present on her ECG (1 mark)

_____

3. State four **key investigations** you would perform in the ED on this patient. Provide your rationale for each investigation. (8 marks)

Investigation	**Rationale**

You explain to the patient that she will need to be admitted for further treatment and to address her eating disorder. She tells you she is going to discharge against your advice. Her parents plead with you to keep her in hospital "for her own good".

4. List the conditions would need to be present for you to be able to **detain and treat her against her expressed wishes**?

(4 marks)

Question 4 (12 Marks)

A 70 year old female is brought to ED with acute breathlessness. Your provisional diagnosis is of acute pulmonary oedema (APO).

1. List 4 findings on clinical examination that would support a diagnosis of APO. (4 marks)

2. List 4 possible precipitants for this patient's pulmonary oedema. (4 marks)

The patient does not require immediate intubation.

3. **List two specific ED treatments you could employ to manage this patient's pulmonary oedema. For each, list your initial treatment prescription and your CLINICAL end-points. (4 marks)**

Treatment 1

_____

Clinical end-point

_____

Treatment 2

_____

Clinical end-point

_____

Question 5 (12 Marks)

The ambulance service has called to notify you of the impending arrival of a 65 year old man with Acute Pulmonary Oedema.

1. **List 4 potential precipitants you will seek on assessment. (4 marks)**

On arrival, the patient is severely short of breath.

Your assessment is consistent with Acute Pulmonary Oedema.

The patient has the following vital signs:

GCS	15	
Pulse	110	/min
BP RR	210/110	mmHg
O_2 sats	40	/min
	88%	15L O_2 via non-rebreather mask

2. Complete the tables for the 2 key aspects of your treatment. (8 marks)

Treatment	
Details of initial prescription	
Mechanism of action	
End-point	

Treatment	
Details of initial prescription	
Mechanism of action	
End-point	


Question 6 (21 marks)

A 72 year old gentleman presents to the ED with increasing shortness of breath. His

vitals are:

HR 103 bpm
BP 170/90 mmHg
SpO2 92% RA
RR 30
Temp 37.2

A mobile CXR is performed and is reproduced below.



1. **What is the most likely diagnosis?** **(1 mark)**

2. **List (4) radiological features on the CXR that support this diagnosis.**

(4 marks)

3. **List (10) potential causes for the above condition.** **(10 marks)**

4. **List your (2) main treatments for this condition in this patient, including any relevant doses where necessary, and one contra---indication for each.**

(6 marks)

Treatment	Dose	Contra---indication

Question 7 (16 marks)

A 72 year old male presents via ambulance short of breath. He is sweaty and looks unwell but is conscious. He has a history of IHD and has an AICD in situ.

Vital signs P 150 bpm
BP 75/- mmHg
RR 30 bpm
SaO2 96% 15LNRB

i. What rhythm is shown (1 mark)


A 12 LEAD ECG IS SHOWN below


You decide to perform DC cardioversion to treat the rhythm noted above. A VBG done after a cannula is placed shows the following.

pH	7.35	(7.35-7.45)
pCO2	57 mmHg	(32-45)
Lactate	3.3 mmol/L	(0.5-1.6)
K	6.1 mmol/L	(3.5-5.2)
Cr	160 mcmol/L	(60-110)

ii. What other treatment is required while cardioversion is being arranged (2 marks)

Question 7





iii. Outline 2 pharmacologic agents you could use for sedation in this patient with initial doses and indicating an advantages and disadvantage for each (8 marks)

Drug	Dose	Advantage	Disadvantage

iv. Describe what settings you would set on the defibrillator and the positioning of the pads on the patient (2 marks)

v. After cardioversion with sedation his rhythm is as follows. Describe the rhythm (1 mark)

A RHYTHM STRIP IS SHOWN above

vi. Despite the ECG change the patient remains hypotensive, P 100bpm, SBP 80mmHg. Give 2 differential diagnoses for this (2 marks)


Question 8 (11 Marks)

A 68 year male presents to ED with an episode of severe central chest pain and palpitations for the last 20 min. He has no prior medical history.

His vital signs include:

GCS 15/15
BP 110/66
SpO2 95%
RR 20

His ECG is reproduced for review:



Questions:

1. What is your interpretation of the ECG and state your evidence. (5 marks)


2. What is the likely anatomical origin of the abnormality? (1 mark)

3. What initial treatment would you give this patient in ED? INCLUDE DOSE AND ROUTE. (5 marks)

Question 9

A 70 year old man has been brought to the ED with chest pain and dizziness.

His ECG is provided **BELOW**.



Question 9 (13 Marks)

A 70 year old man has been brought to the ED with chest pain

and dizziness. His ECG is provided above

1. **Give your interpretation of the ECG. (1 mark)**

_____

2. **List 4 abnormalities from the ECG to support your interpretation. (4 marks)**

1) _____

2) _____

3) _____

4) _____

3. **Complete the table by listing 3 possible causes of this problem. For each, provide a feature of your assessment (history, examination or investigation) that would support it as the underlying cause. (6 marks)**

Cause	Assessment feature


4. **List 2 medications you may use to manage this patient, including doses. (2 marks)**

1) _____

2) _____

Question 10: (12 marks)

A 35 year old female patient presents to the ED following a collapse at work. A sample of her rhythm strip is below.



1. **Name this rhythm:** **(1 Mark)**

2. **List (5) drugs that may precipitate this rhythm:** **(5 Marks)**

3. **List (3) non---pharmacological factors that can put patients at risk for this rhythm.** **(3 Marks)**

4. List (3) treatment options for this arrhythmia. (3 Marks)

Question 11 (12 Marks)

A 54-year-old man presents with palpitations and is light headed. He has a wide complex tachycardia on ECG.

1. List the four steps in Brugada criteria to distinguish VT from SVT (4 marks)

Step Name

2. State 8 other features on an ECG that are more indicative of VT than SVT in WCT.

   (8 marks = 1 per feature)


Number	State Feature
1	
2	
3	
4	
5	
6	
7	
8	

Question 12 (12 Marks)

A 50 year---old woman is in your ED with epigastric pain and vomiting. She has a background of hypertension and GORD. You are reviewing her on the ward round as an ECG is being performed.

She states that she feels a bit light headed.

The following ECG is recorded:
(See prop booklet for her ECG please)



I. List three (3) relevant abnormalities on her ECG. (3 marks)

II. State 3 possible causes for this clinical presentation. (3 marks)

III. The patient's BP is 100/60 mmHg. List three (3) potential treatment, including doses and endpoints where relevant.

(6 marks)

Drug and dose	End point

Question 13 (14 Marks)

A 38 year old man presents with rapid palpitations for 30 mins. He feels lightheaded but denies any chest pain. ECG demonstrates a wide-complex tachycardia.

1. **List six ECG findings** that would support a diagnosis of Ventricular Tachycardia (VT)

(6 marks)

(1)_____

(2)_____

(3)_____

(4)_____

(5)_____

(6)_____

2. List four features you would seek on **history** that would support a diagnosis of VT

(4 marks)

You diagnose Ventricular Tachycardia and elect to cardiovert the patient electrically.

3. State four key steps you would undertake in electrically cardioverting this patient in ED. Be specific with any therapies used. (4 marks)

(1)_____

_____

(2)_____

_____

(3)_____

_____

(4)_____

_____

Question 14 (10 marks)

Your registrar brings you the ECG of a 46 year old man who has presented with palpitations. He is in a Resus bay, being monitored. His condition is stable with BP 120/80, Sats 99% RA, RR18, and GCS 15.

1. What are **4** ECG features of VT that you look for in making a diagnosis? (2 marks).

   i. _____

   ii. _____

   iii. _____

   iv. _____

The ECG shows a wide complex tachyarrhythmia.

2. What else could this be (apart from VT)? (2 marks).

_____

_____

3. What are **3** treatment options for this man with pros and cons of each? (6 marks).

   i. _____

   _____

   ii. _____

   _____

   iii. _____

   _____

Question 15 (17 Marks)

A 59 year old male presents to your ED with syncope. His ECG shows a broad complex tachycardia.
Questions:

1. **List four (4) different causes of a broad complex tachycardia (4 Marks)**

2. **List four (4) clinical features that increase the likelihood of VT (4 Marks)**

3. **List six (6) ECG features that increase the likelihood of VT (6 marks)**

4. **List three (3) medications used to treat stable VT (3 Marks)**

Question 16 (19 marks)

An 80yr female presents via ambulance from her GP to your ED. She has a 24 hour history of vomiting, followed by syncope this morning. She had a second syncope at her GPs office and was noted to be bradycardic on ambulance arrival.

Observations on arrival to ED are:

GCS 15

HR 76

BP 85/30

RR 18


SaO2 96% RA


She describes no chest pain, has had a recent course of antibiotics for a chest infection and has started on a "new drug for my memory".

THE PATIENT'S AMBULANCE RHYTHM STRIP AND ARRIVAL ECG ARE SHOWN below

i. List 3 relevant findings from the 12 lead ECG (3 marks)

ii. List 3 causes of the ECG abnormalities in this patient (3 marks)


Fax: 1 300 793 018
ULTIMA TE
To Order


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
Dev:
Speed: 25 mm/sec
Limb: 10 mm/mV
Chest: 10.0 mm/mV
F 50~ 0.15-100 Hz
PH090A b L P?

iii. List your management priorities (4 marks)

_____

_____

_____

_____

She becomes bradycardic to 35 again, and her BP drops to 75/30 with a rhythm matching the initial ambulance ECG strip.

iv. What is her likely diagnosis? (1 mark)

_____

v. You decide to initiate transcutaneous pacing for her transfer to ICU. Outline your approach (5 marks)

_____

_____

_____

_____


_____

Question 17 (13 marks)

A 50 year-old woman is brought into your Emergency Department by ambulance complaining of palpitations for the last 30 minutes.
She takes no regular medications and is unaware of any significant medical history.

Her pre-hospital vital signs are:

GCS 15/15
BP 110/60
SpO2 98% on RA
Temp 36.2
Her pre-hospital ECG is provided:



Questions:

1- What is the diagnosis and list 4 supportive ECG finding: (5 marks)

2- In point form, List your management steps. For any drugs used, please provide the dose and route of administration. (8 marks)


Question 18 (14 Marks)

A 48 year old man has been brought to the ED with chest pain and dizziness for the last 1 hour.

His vital signs are:

GCS	14	E4 V4 M6
BP	80/45	mmHg
O2 sats	99%	6L O2 via mask
Temp	36.5	degrees

His ECG is shown below.



1. What is your diagnosis of the rhythm displayed in the ECG? (1 mark)

_____

2. List 3 supportive features from the ECG. (3 marks)

_____

_____

_____

3. List 4 likely causes of this problem. (4 marks)

_____

_____

_____

_____

4. List 3 management steps you will undertake in the ED. Provide doses where appropriate. (6 marks)

_____

_____

_____

_____

_____


_____

Question 19 (11 Marks)

A 30 year old man presents to your ED with palpitations and shortness of breath.

His ECG is shown on the next page.

1. Describe the abnormalities on the ECG with supportive evidence. (6 marks)


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
LOC 00000-0000 Speed 25 mm/sec Limb 10 mm/mV Chest 10 mm/mV
F 50~ 0.5-150 Hz W HP 708 19148


His vital signs are:

GCS	14	E 4 V 4 M 6 mmHg
BP	75/45	/min
RR	32	6L O2 via face mask
O2 sats	99%	

2. List your management steps. Include specific drugs and doses where appropriate.
(5 marks)

Question 20 (10 Marks)

A 62 year old male presents to your small rural Emergency Department with 30 minutes of central heavy chest pain with some radiation into the throat and some belching.



1. Identify the abnormalities on the ECG (4 marks).

_____

_____

_____

_____

2. Where are the most likely areas of concern in the coronary arteries? (2 marks).

_____

_____

_____

_____

3. What are the **4** priorities in managing this case? (4 marks).

   i. _____

   ii. _____

   iii. _____

   iv. _____


Question 21 (14 Marks)

A 50 year old woman has been brought to the ED with severe chest pain of 2 hours duration. She is alert and orientated.

Her ECG is given below.

1. List the abnormalities on the ECG. Include ECG evidence to support your statements. (5 marks)

2. What is the clinical significance of these abnormalities? (2 marks)


III
+90
aUF
II
Order. Physician :
Technician :
Unconfirmed report.
I
AUR
U1
U4
II
AUL
U2
U5
III
AUF
U3
U6
II
Cart# 1
Site# 1

3. List 3 life-threatening complications of this problem that may manifest in this patient


4. List 4 factors that will determine this patient's disposition. (4 marks)

Question 22 (12 Marks)

A 55 year old woman has presented to your tertiary ED with severe central chest pain for the last 2 hours.

Her past medical history includes hypertension and hyperlipidaemia.

Her ECG is provided below.



Q22

A 55 year old woman has self-presented to your tertiary ED with central chest pain for the last 2 hours.

Her past medical history includes hypertension and hyperlipidaemia.

Her ECG is provided in the **above**.

1. **List 4 abnormalities on the ECG. (4 marks)**

1)_____

_____

2)_____

_____

3)_____

_____

4)_____

_____

2. **Give your diagnosis. (2 marks)**

_____

_____

_____

The patient's vital signs are:

GCS	15	
BP	75/45	mmHg
RR	18	/min
O2 sats	98%	room air

3. **State 6 steps in your management of this patient. Include doses and end-points where appropriate. (6 marks)**

1)_____

_____

2)_____

_____

3)_____

_____

4)_____

_____

5)_____

_____

6)_____

_____

_

Question 23 (21 Marks)


A 30 year old female presents to ED with intermittent Chest pain for 2 days. She has pain with deep inspiration. She has no other associated symptoms. She has been well until this illness.

She has no known medical conditions.

Her vital signs are:

GCS	15/15
BP	110/77
RR	26
SpO2	97% in room air

The patient's ECG is reproduced.



Questions:

1- List the abnormalities on the ECG. (3 marks)

2. What is your provisional likely diagnosis? Justify your choice. (3 marks)

3. List 3 additional investigations that are indicated to further assess the extent and severity of this condition. (3 marks)

4. In the table below, list the possible underlying aetiological processes causing this patients condition. Give 1 example of each and list the relevant investigation that could be ordered. (12 marks)

Aetiological process	Example	Relevant investigation


Question 24 (12 Marks)

An 80 year old man is brought in by ambulance with retrosternal chest pain. He has a history of GORD, and called the ambulance after 6 hours of pain which was unresponsive to his usual reflux
treatment.

On arrival his vital signs are:

GCS 15/15
BP 90/50
Sa02 96% on 10L O2 via Hudson mask

His ECG is given below:



Questions:

1. Describe 2 significant findings on this ECG and your interpretation (3 marks)

2. Outline the criteria used for question 1 (3 marks)

3. List six management priorities for this patient (6 marks)

Question 25 (10 Marks)

A 45 year old man presents with vague symptoms of central dull chest pain and mild shortness of breath on exertion for the past 3 days.

His observations are:


Temperature	37	^{o}C
BP	120/70	mmHg
RR	18	/min
O_2 saturations	99%	on room air

An ECG is taken and is shown on the opposite page

1. Interpret his ECG giving three (3) positive findings.

2. List four (4) differential diagnoses for this appearance on the ECG.

3. List three (3) features on assessment that would determine disposition.


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
V1
II
V6
25mm/s
10mm/mV
150Hz
7:1:1
120L
239
CID: 32
EID:170
ORDER:
Page 1 of 1

Question 26 (12 Marks)

Your department is in the process of revising its pathway for patients presenting to the ED with chest pain. You have been asked to help develop a pathway.

1. As per the National Heart Foundation of Australia & Cardiac Society of Australia and New Zealand guidelines, what are the high risk features of chest pain for Acute Coronary Syndrome (ACS), **not** including clear ST elevation on an ECG or an elevated Troponin? List 4 features. (4 marks)

2. List 4 low risk criteria. (4 marks)

3. Excluding ACS, list 8 causes of a raised serum Troponin by filling in the table below.(4 marks)

Cardiac causes	**Non-cardiac causes**

Question 27 (31 Marks)

A 62 year old female is brought to your Emergency Department with central pleuritic chest pain and shortness of breath from the local cruise ship terminal.

Questions:

1. **List five (5) potential differential diagnoses? (5 Marks)**

2. **During your assessment, she deteriorates clinically and becomes agitated, tachycardic, hypotensive and hypoxic. Her vital signs are now:**

GCS 13/15 (agitated), 130
HR Sinus Tachycardia 90/60
BP
Sats 89% RA
RR 28.

For the table below, List five (5) immediate investigations and the rationale for each:

(10 Marks)

Investigations	Rational

3. **You diagnose a pericardial effusion from your history/examination and investigations.**
   List eight (8) common causes of ANY pericardial collection for patients presenting to the emergency department? **(8 Marks)**

4. **List five (5) main ECHO features to support a clinical diagnosis of cardiac tamponade?** **(5 Marks)**

5. **List three (3) ECG finding that support a clinical diagnosis of cardiac tamponade:** **(3 Marks)**

Question 28 (10 Marks)

A 30 year old man presents to the emergency department with fever of 38.5 and chest pain and SOB. He reports that he is an IVDU. On examination, he has bibasal crepitations and a murmur which was not present on previous presentations.

1. What is the most likely diagnosis? (1 mark).

2. List **4** components of Dukes Criteria (4 marks).

3. Name **2** of the most common organisms which cause this pathology in the IVDU population (2 marks).

4. What antibiotics would you use to treat it? (3 marks).

Question 29 (16 marks)


A 26 year old man presents with a 3 day history of sharp central chest pain suggestive of pericarditis. His observations are stable apart from a temp of 38C.

THE ECG IS SHOWN Below

i. List the ECG abnormalities (3 marks)

ii. What ECG features would make a diagnosis of benign early repolarisation more likely? (2 marks)

iii. List 5 causes of pericarditis (5 marks)



I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6

iv. List 3 investigations used to detect a pericardial effusion in this setting – include a brief description of the positive finding for each investigation (6 marks)

Question 30 (18 Marks)

You are the duty consultant covering the resuscitation area in a tertiary ED. A 56 year old male has been brought in complaining of chest heaviness, dyspnoea and faintness. He was discharged 3 days ago at Day 9 post---CABG for a myocardial infarction.

His 12---lead ECG has been reproduced below:



His observations are:

- Temperature 36.2 degrees
- HR 92 /min
- BP 85/52 mmHg
- RR 22 /min
- SPO2 96% on 6L Hudson mask
- BSL 5.6 mmol/l

Questions

1. List 5 differential diagnosis for this patient's presentation. (5 marks)

2. List and justify 3 investigations that you would perform at the bedside. (6 marks)

Investigations	Justification

You have not identified an immediately reversible cause for this patient's presentation. You suspect that his clinical findings may be due to his underlying coronary artery disease.

3. In an escalating manner, state 3 approaches (including route and doses) to haemodynamic resuscitation. (3 marks)

4. State 2 end points of haemodynamic resuscitation for this patient. (2 marks)

5. State and justify this patient's preferred disposition. (2 marks)

Question 31 (11 Marks)


A 70 year old female presents to ED with a history of 'falling over at the shops' one hour previously. She has a history of previous ischemic heart disease. She admits that recently she has become severely short of breath when walking to the bus stop 20 meters from her home. Her current medications include aspirin and atenolol.

Her vital signs are:

BP	96/66
SpO2	92% in room air
Temp	37 C
RR	26

She has bipedal pitting oedema to her ankles and bibasal crepitations on lung auscultation.

Her ECG has been reproduced for review:


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6

Question 31:

1-Describe the abnormalities on her ECG. (2 marks)

2- What is the significance of these findings? (2 marks)

3-List 4 causes contributing to the findings on the ECG. (4 marks)

4- What definitive cardiac investigations does this patient need and state why?
(3 marks)

Question 32 (18 marks)

A 45 year old woman has presented with intermittent dizziness for the last few hours.

Shortly after arrival, the patient had an ECG recorded during a prolonged dizzy spell.


The ECG is provided below

1. **State your diagnosis. (1 mark)**

2. **List 3 supportive features from the ECG. (3 marks)**

3. **List 5 potential causes of this problem. (5 marks)**

Question 32


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
V2
Dev:
Speed: 25 mm/sec
Limb: 10 mm/mV
Chest: 10 mm/mV
50~ 0.05-150 Hz
PH080A
P3

The patient has the following vital signs:

GCS	14	E4 V4 M6
BP RR	75/45	mmHg
O2 sats	25	/min
	99%	room air

The patient has been moved to a resuscitation room.

4. **State 3 components of your initial management. (3 marks)**

Your initial management was successful, however the patient continues to have recurrent episodes of the same arrhythmia.

The patient remains conscious.

5. **List 2 options for the subsequent management of this situation. Provide brief details for each option. (4 marks)**

Option	**Details**

Question 33 (14 Marks)

A 70 year old man has presented to the ED with dizziness.

His ECG is provided in the **PROPS BOOKLET**.

1. **Give your diagnosis, supported by 3 ECG abnormalities.** **(4 marks)**

Diagnosis _____

ECG abnormalities

2. **List 4 possible causes of this problem.** **(4 marks)**

3. List 3 clinical indications for initiating chemical or electrical pacing in this patient.
(3 marks)

4. List 3 agents you could use for chemical pacing. **(3 marks)**

Question 34 (13 marks)

You are the ED Consultant in a small rural department. The closest Cardiology or Surgical support is 100kms by road. A 72 year old woman has presented with increasing shortness of breath. She has no prior known cardiac or respiratory history.

Her vitals are as follows

Temp 36.2
HR 110 Regular BP
89 / 77
RR 24
Sats 95% room air

On examination she has a raised JVP and muffled heart sounds. No murmurs are heard. Her respiratory examination is unremarkable except for tachypnoea.

The following image is obtained on bedside echocardiography.



What is the name of this cardiac window/view? (1 mark)

List 3 echocardiographic findings suggestive of pericardial tamponade on bedside ultrasound (3 marks)

List 5 causes of a Pericardial Effusion in this patient – candidates should list 5 causes form different categories of causes (5 marks)

You have decided to perform a therapeutic pericardiocentesis on this patient for cardiac tamponade. Complete the following table outlining your technique for this procedure (4 marks)

Positioning of the patient for procedure	
Gauge of needle used	
Insertion point of needle	
Direction of needle advancement	

Question 35 (11 Marks)

A 38-year-old female presents with BP 220/125 and a headache.

1. Define Hypertensive emergency. (1 mark)

2. List 6 end organs that might be damaged from severe hypertension and at least one clinical manifestation that you might find on history taking, examination and the appropriate investigation. Name the medication of choice for management of that. (6 marks)

Organ	Symptom or Sign	Investigation

3. List **2** classes of medication, **2** examples of that class and the dose that can be used for the treatment of hypertensive emergencies. (4 marks)

Class of Medication	Example	Dose & Frequency of Treatment

Question 36 (12 Marks)

A 40-year-old man with a past history of hypertension presents to your Emergency Department complaining of a gradual onset severe headache with associated drowsiness and vomiting. His initial nursing observations are:

BP :	240/140	mmHg
HR:	70	beats/min
RR	26	per minute
SpO_2	94%	room air
Temp	36.5	^{O}C

GCS: 13 (E3 eyes opening to speech; V4 confused; M6 obeying commands)

Power 5/5 all 4 limbs and no facial asymmetry

i. What is the most likely diagnosis in this patient? (1 mark)

ii. List and justify three (3) immediate investigations required for this patient. (6 marks)

Investigation	**Justification**

iii. What would be your top five (5) management priorities for this patient? (5 marks)

1. _____

2. _____

3. _____

4. _____

5. _____

Question 37 (16 Marks)

You have observed a trainee perform a physical exam on a 70-year-old gentleman who had a syncope walking up stairs. He has been breathless on exertion for 1 year.

Your trainee finds no abnormality on examination and considers that he is suitable for discharge if baseline blood tests, 12 lead ECG and a period of monitoring do not reveal any abnormality.

You decide to examine him yourself. You find a mid-systolic murmur, that radiates to the carotids and crepitations (crackles) to the midzones in both lung fields.

a) What is your differential diagnosis of this murmur and the significance of each option? (8 marks)

Condition	Typical features on auscultation (half mark per point -total 1mark)	Clinical significance (1 mark)
Aortic stenosis		
Aortic sclerosis		
Hypertrophic obstructive cardiomyopathy		
Mitral regurgitation		

b) What is your advice to the trainee on this patient's disposition, including your rationale? (2 marks)

a. Your advice:

b. Your rationale:

c) Your trainee had asked for this case to be a CEX but now doesn't want to because they did poorly. You become aware that other consultants have had the same issue regarding underperformance. As the DEMT you decide to meet with the trainee and discuss a performance plan.

a) List 4 early warning signs of a trainee in difficulty (2 marks)


b) List the parts of a performance plan. (4 marks)

Question 38 (16 Marks)

An 82 year old female is referred to ED by her GP for further advice regarding the above ECG. She has had longstanding Atrial Fibrillation and recently stopped taking Metoprolol without her GP's knowledge. She also has hypertension for which she is managed with Irbesartan. She is asymptomatic and has no features of heart failure or any other intercurrent illness.

Her vital signs are:

GCS	15
BP	182/92
RR	20
SpO2	97% in room air
Temp	37 C



1. What is the main finding on her ECG?

(2 marks)

2. What factors would be important to consider in deciding on whether to control her rate, or control her rhythm?

(8 marks)

Factors favoring rate control	Factors favoring rhythm control

3. You decide to proceed with rate control and long---term anticoagulation.
What factors would you consider in deciding whether she is a safe candidate for long---term anticoagulation?
(6 marks)

Question 39 (10 Marks)

A 65 year old gentleman presents to the emergency department with a three to four day history of SOB. He has a background of hypertension for which he is on an ACE inhibitor.

His observations recorded at triage are as follows:

Temperature 36.9 °C

BP 145/90 mmHg

HR 120-140 beats/min

You are shown his ECG. **(see below).**

i. Give a brief interpretation of this ECG (2 marks)

ii. Suggest four (4) possible underlying causes for this ECG finding (4 marks)


1.

2.

3.

4.


Question 39



iii. What medication (including dose and route) would you choose to manage this patient ? (2 marks)

iv. How would you risk stratify this patient? Please demonstrate with reference to the patient information that you have been given above. (2 marks)

Question 40


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
150 Hz
25.0 mm/s
10.0 mm/mV
4 by 2.5s + 1 rhythm ld
MAC 8 002B
12SL tm v250

Question 40 (17 marks)

A 75 year old man has been resuscitated following an out-of-hospital cardiac arrest. He has been taken to a small regional Emergency Department. He was intubated at scene. His past history is unknown but paramedics have brought a bag of his normal medications: frusemide, spironolactone, digoxin and warfarin.

THE PATIENT'S ECG IS SHOWN Above

i. What are the 3 main findings in this ECG? (3 marks)

ii. List 3 potential causes of the dysrhythmia in this patient (3 marks)

iii. A retrieval team has been dispatched by helicopter with an estimated flight time of 2 hours. For the safe transfer of this patient, list the minimum monitoring modalities required (5 marks)

iv. Complete the following table, listing 3 common issues with the helicopter transport environment and their potential effects on patient assessment/management (6 marks)

Issue	Effects

Question 41(24 marks)

The ambulance service is transporting a 55 year old woman following an out of hospital cardiac arrest. They report the initial rhythm was PEA. Return of spontaneous circulation was achieved after 15 minutes of ALS which consisted of CPR, 3mg of adrenaline and intubation.


You are preparing your team to accept this patient.

1. **With reference to the Australian Resuscitation Council (ARC) Guidelines, list 3 recommended indications for EMERGENT cardiac catheterisation in patients suffering out of hospital cardiac arrest. (3 marks)**

On arrival, the patient has the following vital signs:


GCS	3	
Pulse	90	/min
BP	165/96	mmHg
O2 saturation	100%	FiO2 100%
Temperature	35.5	degrees

The ambulance handover describes a sudden collapse with no preceding symptoms.


Unconfirmed report.
I
AUR
V1
V4
II
AUL
V2
V5
III
AVF
V3
V6
II

The patient has been given no sedation or paralysis and remains GCS 3. A non-contrast CT scan of her head has been performed.

A slice of the patient's CT head is provided below.



An ECG is provided above

2. **List 2 key findings from the ECG. (2 marks)**

3. **State the clinical significance of the ECG findings. (2 marks)**

The patient has been given no sedation or paralysis and remains GCS 3. A non-contrast CT scan of her head has been performed.

A slice of the patient's CT head is provided above

4. **State the diagnosis demonstrated on the CT scan. (1 mark)**

5. **List 4 additional CT findings you would seek that would portend a poor prognosis.**
(4 marks)

6. **In the table, list 5 possible causes for these problems. For each provide a supportive assessment finding (history, examination, investigation), and the key intervention required to manage the problem. (15 marks)**

Cause	Assessment finding	Key intervention

Question 42 (10 MARKS)

A 74-year-old woman presents with light-headedness, lethargy and palpitations.

Her vital signs are BP 100/60, HR 124/min, temp 37, SaO2 99% on room air.

She has a past medical history of type 2 diabetes, hypertension and has a pacemaker for heart block. Her pacemaker card indicates she has a DDD pacemaker.


1. Describe the DDD function of her pacemaker. (2 marks)

2. Describe her ECG. (2 marks)

3. List **2** differential diagnoses (2 marks)

(1)

(2)



I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II

4. List **4** management steps you would initiate for her. (4 marks)

Question 43 (12 Marks)

A 74 year old female patient presents to your ED with central chest pain, dyspnoea and feeling lightheaded. This came on 1 hour ago whilst resting on the couch at home. Her background history includes a pacemaker which was inserted for slow AF.
Her vital signs are:
GCS 15/15
BP 85/50
SpO2 94% RA

Her ECG is shown below: (See props booklet for ECG please)



I. State the key findings of her ECG and how they may be relevant to her presentation. (4 marks)

1
2
3
Diagnosis:

II. Outline your immediate management priorities for this patient in the ED.
(6 marks)

III. What is the role of a magnet in managing pacemaker dysfunction?

(2 marks)


Question 44 (12 Marks)

A 78 year old man has presented to the ED with general malaise and several episodes of syncope.

He has a history of type 2 diabetes with complications of ischaemic heart disease, chronic renal failure and peripheral vascular disease.

His ECG is shown.

1. List the abnormalities on the ECG. Include your overall interpretation. (5 marks)


Unconfirmed report.
I
AUR
U1
U4
II
AUL
U2
U5
III
AUF
U3
U6
II

The patient's vital signs are:

GCS	15	
BP	100/60	mmHg
RR	22	/min
O2 sats	95%	2L O2 via nasal prongs


He has evidence of mild pulmonary oedema on examination.

2. List your ED treatment steps based on the clinical information. Include details of drugs and doses where appropriate. (7 marks)

Question 45 (10 marks)

A 4 year old boy is being managed in the paediatric bay as asthma. He presented with tachypnoea and has had a burst therapy of 3 doses of 6 puffs salbutamol with no improvement. Nursing staff have asked for you to review the patient as they have noticed the patient is very tachycardic.

On review the child is mildly tachypnoeic, has normal central capillary refill and has a clear chest on auscultation. An ECG is performed and is below.



Describe the main features of this 12 lead ECG (4 marks)

What is the likely diagnosis? (1 mark)

Describe the escalating management options for this child (4 marks)

Question 46 (12 Marks)

A 12 year old girl has been taken to the ED after a syncopal episode at school.

On arrival, she has no ongoing symptoms and normal vital signs.

1. **List 4 findings in your history that would be concerning for a cardiac cause of syncope.** **(4 marks)**

2. **List 4 findings in your history that would be consistent with vasovagal syncope. (4 marks)**


3. **List 4 investigations you might perform in the ED. Provide a clinical indication for each test. (4 marks)**

Investigation	Clinical indication

Question 47 (12 Marks)

A 77 year old lady has presented with palpitations.

Her ECG is provided **BELOW**.



Question 47

A 77 year old lady has presented with palpitations.

Her ECG is provided in the Below

1. **List the 2 most important features of this ECG. (2 marks)**

On examination, she has the following vital signs:

GCS	15	
BP	115/65	mmHg
O2 sats	98%	room air
Temperature	36.5	degrees

2. **List 5 drugs you might use in the management of this patient's problem. Include initial doses. For each drug, state the clinical circumstances appropriate for its use. (10 marks)**

Drug / dose	Clinical circumstances

Question 48 (11 Marks)

A 16 year old indigenous man has presented to your rural ED with lethargy and malaise.

You are considering the diagnosis of acute rheumatic fever.

1. List the 5 major Jones criteria for the diagnosis of acute rheumatic fever. (5 marks)

The patient has acute rheumatic fever.

You note that he presented twice to the ED in the last month with a sore throat and was discharged on both occasions with a diagnosis of viral URTI.

2. List 2 potential contributory factors in each of the following areas that could have led to this situation. (6 marks)

	Potential contributory factors
System	
Process	
Individual	


Question 49 (21 marks)

A 70 year old man presents with ischaemic-sounding chest pain on a background of longstanding, poorly controlled hypertension. His 12-hour troponin is normal.

THE PATIENT'S ECG IS SHOWN Below

i. List 4 abnormalities in this ECG (4 marks)

ii. List 5 causes of ST segment elevation other than myocardial ischaemia (5 marks)


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
150 Hz
25.0 mm/s
10.0 mm/mV
4 by 2.5s + 1 rhythm ld
MAC 8 002B
12SL tm v250

iii. The patient is noted to have a systolic heart murmur. List 6 differential diagnoses of a systolic murmur (6 marks)

iv. You suspect this patient has aortic stenosis. What are the physical signs that suggest severe aortic stenosis? (4 marks)

v. Your registrar wants to commence a nitrate infusion for this man's angina. Outline your concerns about this plan (2 marks)

Question 50(8 Marks)

A 25 year old man has presented with severe central chest pain of 12 hours duration.

He has been unwell for one week with lethargy and malaise following an upper respiratory tract infection diagnosed by his GP.

He has no past medical history.

His ECG is provided BELOW

1. Give 2 differential diagnoses. For each, list 2 supportive ECG findings and 1 supportive echocardiographic finding. (8 marks)

Differential diagnosis	Supportive ECG findings	Supportive echo finding
	1	
	2	
	1	
	2	


Question 50

A 25 year old man has presented with severe central chest pain of 12 hours duration.

He has been unwell for one week with lethargy and malaise following an upper respiratory tract infection diagnosed by his GP.

He has no past medical history.

His ECG is provided below.



Question 51 (16 marks)

A 45 year old man has self-presented to your tertiary ED with 2 hours of central chest pain.

His ECG is provided in BELOW

1. **State the primary underlying pathology with 3 supportive ECG findings. (4 marks)**

Primary pathology:

_____

Supportive findings:

(1)_____

_____

(2)_____

_____

(3)_____

_____

_

2. State the most important complication shown on the ECG with 4 supportive ECG findings.
(5 marks)

Complication:

_____

Supportive findings:

(1)_____

_____

(2)_____

_____

(3)_____

_____

(4)_____

_____

The patient's vital signs are:

GCS	15	
BP	105/70	mmHg
O2 saturation	100%	6L O2 via Hudson mask
Temperature	36.5	degrees

3. List 5 treatments you would employ for the primary underlying pathology. (5 marks)

(1)_____

_____

(2)_____

_____

(3)_____

_____

(4)_____

_____

(5)_____

_____


4. List 2 pharmacological options for managing the complication demonstrated on the ECG. Include doses. (2 marks)

(1)_____

(2)_____

question 51

A 45 year old man has self-presented to your tertiary ED with 2 hours of central chest pain. His ECG is given below.



Question 52 (14 marks)

You are working in a tertiary emergency department and have an ECG transmitted to you by the ambulance service. The patient is a 45 year old male who has had central chest pain for the last 20 minutes. The estimated time of arrival in your ED is 10 minutes.

A 12 LEAD ECG IS SHOWN IN THE PROPS BOOKLET, PAGE 1


i. Describe and interpret the critical abnormalities on this ECG? (4 marks)

ii. What advice would you offer the paramedics who are transferring the patient? (4 marks)

iii. The cath lab is unavailable for 2 hours and a decision is made to give a fibrinolytic. List two (2) fibrinolytic agents that could be used and provide a dosing regimen for each (4 marks)

iv. Outline a suitable peri-fibrinolysis anti-coagulant regime (2 marks)

Question 52


Name:
ID: 0326 8093032
atie.. ID:
..icid t ID:
Age: 68 Sex: M
12-Lead 2
26/03/2018
PR 0.224s
QT/QTc:
P-QRS-T Axes:
HR 77bpm
09:34:52
QRS 0.150s
0.372s/0.401s
96° 62° 27°
I
aVR
II
aVL
V2
V5
III
aVF
V3
V6
x1.0 .05-150Hz 25mm/sec
Physio-Control, Inc. Comments:
0400429145 AVALON2 3306808-005 LP1540741036
po expressed
I
pri racy, high g squares

QUESTION 53 (19 marks)

A 47 year old male presents with epigastric pain for the past 45 minutes.

i. Describe and interpret the ECG (4 marks)

A 12 LEAD ECG IS SHOWN IN THE PROPS BOOKLET, PAGE 5


ii. Describe and justify your immediate pharmacological treatment (4 marks)

iii. His pain settles with aliquots of fentanyl but the ECG changes persist. You are 90 minutes away from a PCI centre. Describe and justify your reperfusion plan (3 marks)

iv. List 5 absolute contraindications to fibrinolysis (5 marks)

v. What constitutes failure of fibrinolysis, suggesting need for a rescue PCI (3 marks)

Question 53




question 54 (12 Marks)

A 68 year old woman has been brought to your tertiary ED by ambulance. She has had chest pain for the last 3 hours.

On arrival, her vital signs are:

GCS	15	
BP	80/40	mmHg
O2 sats	100%	6L O2 via Hudson mask

Her ECG is given below.


Rate 79
PR 0
QRSD 103
QT 406
QTc 465
--Axis--
P
QRS 42
T 113
- ABNORMAL ECG -
Unconfirmed diagnosis.
I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
25 mm/s 10 mm/mV F .5 Hz - 40 Hz W HP709 33058

1. Give the rate, rhythm and axis of the ECG. (3 marks)

2. Give the main pathology identified on the ECG, with evidence. (3 marks)

3. List your treatment steps, including drugs and doses where appropriate. (6 marks)

Question 55 (14 marks)

A 56 year old woman has presented to your rural ED with 1 hour of central chest pain. The nearest tertiary centre is 3 hours away.

Her significant history is of a myocardial infarction 2 years ago.

Her ECG is provided below

1. List the **pathologies present on the ECG**, include the **specific ECG features** to support your conclusions. (8 marks)

Her vital signs are:

GCS	15	
BP	110/60	mmHg
RR	25	/min
O_2 saturations	100%	6L O_2 via mask


2. State six key **treatment steps**, including drugs and doses. (6 marks)

Question 55

A 56 year old woman has presented to your rural ED with 1 hour of central chest pain. The nearest tertiary centre is 3 hours away.

Her significant history is a myocardial infarction 2 years ago.

Her ECG is provided.




Question 56 (12 Marks)

You are undertaking a locum shift in a regional emergency department. A 63-year-old male has presented reporting recurrent chest pains for the past week. The pain was initially intermittent, but became constant after eating dinner last night, roughly 12 hours ago. He has a history of gout, takes allopurinol and has no allergies. He has been placed in the resus bay and been connected to cardiac monitoring. His ECG is shown **in the props booklet**.

a) Please describe and interpret the ECG **(see image in props booklet)** (4 Marks)

b) List four (4) additional investigations that might clarify the extent of the patient's problem and explain how they may help to do so. (4 marks)

c) List four (4) medications (with routes of administration and doses) you will prioritise in your management of this patient. (4 Marks)



I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6

Question 57 (16 marks)

A 64 year old lady presents to your ED with epigastric pain for the last 2 hours.
Her vital signs are:

BP 80/50 mmHg
SpO2 96% RA
Temp 36.6 C
RR 18

Her ECG is shown below: (**See props booklet**)



1. **List four major abnormalities on the ECG and state their significance in the table below.** **(8 marks)**

ECG abnormality	Significance

2. List 8 measures in this patient's Emergency Department management.

(8 marks)

Question 58 (18 Marks)

A 55 year old man suffering from a myocardial infarction has been retrieved from a rural hospital. He was treated with aspirin, heparin and intravenous morphine in appropriate doses at the rural ED. He was given tenecteplase 1 hour and 45 minutes ago.

On arrival to your tertiary ED, he looks pale and sweaty and is complaining of severe chest pain.

His ECG on arrival to your ED is provided Below

1. **What is the main pathology demonstrated? (1 mark)**

_____

2. **List 4 features of the ECG that support your answer. (4 marks)**

1) _____

2) _____

3) _____

4) _____

His vital signs are:

GCS	15	
BP	80/40	mmHg
O2 saturation	99%	6L O2 via Hudson mask

3. List 3 management steps you would perform. Provide justification for each step.

(6 marks)

Management step	**Justification**

Shortly after arrival, the patient develops complete heart block with a ventricular escape rhythm.

His vital signs are now:

GCS	14	E4 V4 M6
Pulse	30	/minute
BP	70/35	mmHg

You have decided to electrically pace the patient.

4. State 5 steps in the successful initiation of electrical pacing. (5 marks)

1) _____

_____

2) _____

_____

3) _____

_____

4) _____

_____

5) _____


_____

Question 58

A 55 year old man suffering from a myocardial infarction has been retrieved from a rural hospital.
He was treated with aspirin, heparin and intravenous morphine in appropriate doses at the rural ED.
He was given tenecteplase 1 hour and 45 minutes ago.

On arrival to your ED, he looks pale and sweaty and is complaining of severe chest pain.

His ECG on arrival to your ED is provided **BELOW.**



Question 59 (11 marks)

A 64 year old woman has presented with 3 hours of chest pain.

She has a history of type 2 diabetes mellitus and hypertension.

Her ECG is reproduced below

1. **List 4 key findings on her ECG.** **(4 marks)**

_____

_____

_____

_____

2. **Give your interpretation of this ECG and its clinical relevance.** **(2 marks)**

_____

_____

Upon your assessment the patient looks pale and sweaty. She has full field crackles on lung auscultation.

Her vital signs are:

GCS	13	E3 V4 M6
Pulse	70	/min
BP	75/40	mmHg
O2 saturation	88%	15L O2 via non-rebreather mask

You have decided that the patient needs intubation as part of her ongoing management.

3. List 5 modifications to a standard RSI that you would employ in this patient. (5 marks)

1) _____

_____

2) _____

_____

3) _____

_____

4) _____

_____

5) _____


_____

Q59

A 64 year old woman has presented with 3 hours of chest pain.

She has a history of type 2 diabetes mellitus and hypertension.

Her ECG is reproduced below.



Question 60 (30 marks)


You receive advance notification of a patient en route. It is a hypotensive, sixty-year-old lady thought to be in supra ventricular tachycardia.

Questions:

1- Detail, in point form, your preparations for her arrival. (15 marks)

2- On arrival the patient is normotensive, GCS 15/15 and complains of palpitations.

Her ECG is reproduced on the next page.


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
I
Rhythm:
25 mm/s 10 mm/mV
50Hz
VG2.2/Gn24
Res-4
151218090?Res-4001

2- List 7 important features of this ECG: (7 marks)
-

3- List 5 differential diagnoses for the cardiac rhythm depicted: (5 marks)

4- Attempts to cardiovert the patient's rhythm using vagal manoeuvres and appropriate doses of adenosine have been unsuccessful.

State another drug including route and dosing you will use to attempt cardioversion of this rhythm. (3 marks)

QUESTION 61 14 marks)

A 41 year old man presents with a brief syncopal episode. He has no significant past medical history, medications or allergies. On examination he is alert and cardio-respiratory exam is normal.

Vital signs	HR	96 bpm
	BP	135/80 mmHg
	RR	12 bpm
	SaO2 RA	96%
	Temp	36.5 deg C
	BSL	5 mmol/L

i. Describe the most significant finding on this ECG and state the most concerning diagnosis given the clinical setting (2 marks)


A 12 LEAD ECG IS SHOWN below

ii. List 4 differential diagnoses for this ECG pattern (4 marks)

iii. List 4 relevant questions you would ask the patient (4 marks)

iv. Outline the important components of his disposition, follow-up and ongoing management (4 marks)

9



Question 62 (13 marks)

A 64 year old man has been brought to your tertiary hospital Emergency Department with a history of syncope.

His observations are:

HR	110	/min
RR	28	/min
SaO2	93%	RA
BP	105/70 mmHg	
GCS	15/15	

There are no arrhythmias, heart blocks or signs of Acute Coronary Syndrome on his ECG.

a) List five (5) ECG features that would suggest arrhythmia as a cause of his syncope. **(5 marks)**

1.

2.

3.

4.

5.

The patient deteriorates and his observations are now:

HR	125	/min (sinus rhythm)
RR	32	/min
SaO2	93%	RA
BP	70/50	mmHg
GCS	13/15	
BGL	6.2	mmol/L

b) Complete the following table for causes of non-arrhythmic cardiogenic shock and provide specific management for each. **(8 marks)**

Cause	Management

Question 63

A 70 year old man has presented to the ED after a syncopal episode.

His ECG is provided in the **PROPS BOOKLET**.

The patient's vital signs are:

GCS	12	E3 V4 M5
BP	70/40	mmHg
RR	20	/min
O2 sats	99%	room air

He is pale and sweaty.

1. Give your **diagnosis** and supportive ECG findings. (5 marks)


Diagnosis:

Supportive Findings:

2. State your treatment steps **in sequential order**. Include details of drug doses and end-points. (10 marks)

SAQ 63

A 70 year old man has presented to the ED after a syncopal episode.



Question 64 – (13 marks)

A 72 year old woman is brought in by ambulance following a syncopal episode that she completely recovered from. She has recently been admitted for a syncope work up with no diagnosis found. En route to the emergency department she becomes unresponsive with low blood pressure.

She has a 12 lead ECG done in the resus room (see next page)

Her vital signs are:

BP 82 / 55

RR 24

SaO2 84% on RA

T 36.4

Describe the main ECG findings of importance (4 marks)

_____

_____

_____

_____

What is the likely diagnosis? (1 mark)


_____

What are 3 potentially reversible precipitants of this condition? Give examples where appropriate (3 marks)

_____

_____

_____
_


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
Device: MONE18
Speed: 25 mm/sec
Limb: 10 mm/mV
Chest: 10 mm/mV
50~ 0.15-100 Hz
PHIL

Outline your management of this patient (5 marks)

_____

_____

_____

_____

_____

Question 65 (14 Marks)

A 72 year old man has been brought to the ED after a syncopal episode.

His ECG is provided in the **PROPS BOOKLET**.

1. **State your interpretation of the ECG. (2 marks)**

_____

_____

2. **List 3 features of the ECG that support your interpretation. (3 marks)**

_____

_____

_____


3. **List 4 possible causes of this problem. (4 marks)**

_____

_____

_____

_____


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
Device: Acute 16
Speed: 25 mm/sec
Limb: 10 mm/mV
Chest: 10 mm/mV
0.05-150 Hz
PHILIPS

On examination, the patient looks pale and sweaty.

His vital signs are:

GCS	13	E3 V4 M6
BP	70/40	mmHg
RR	16	/min
O2 saturations	99%	room air

You have decided to initiate electrical pacing.

4. State 5 steps in the successful implementation of electrical pacing. (5 marks)

1) _____

_____

2) _____

_____

3) _____

_____

4) _____

_____

5) _____

_____

Question 66 **(12 marks)**

A 60-year-old man presents with a syncopal episode whilst at work. He is unable to describe any preceding symptoms and recalls upon waking up his colleagues standing around him. He is currently asymptomatic.

His ECG is shown in the Props Booklet (Figure 6)


a) List 4 abnormalities found on his ECG (4 marks)

After your initial assessment your patient deteriorates and becomes markedly bradycardic.

His formal vitals are:

GCS	13
HR	28 bpm
BP	70/40 mm Hg
SaO2	88% on room air
RR	28breaths/mon
Temperature	36.5 degrees Celsius

b) List 2 reversible causes of his bradycardia (2 marks)


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II

c) List 6 steps in management for this patient (6 marks)

Question 67 (16 Marks)

A 64 year old man has presented to the ED after a transient loss of consciousness while at home.

On arrival to the ED, he has returned to normal consciousness and has normal vital signs.

He has no symptoms.

1. **List 6 ECG findings that would warrant admission to a cardiac telemetry bed in the hospital. For each ECG finding, state the clinical significance. (12 marks)**

ECG finding	Clinical significance

2. For each the following investigations, give a clinical indication for its use. (4 marks)

Investigation	Clinical indication
Chest x-ray	
Full blood count	
Electrolyte panel	
CT head	

QUESTION 68 (16 marks)

A 17 year old male is brought your district ED by his nurse mother after feeling dizzy and unwell and appearing 'pale' on the football field. He was reluctant to attend as he felt 'fine'. Presenting blood pressure 115/60. Saturations 99% on room air. RR 14. Afebrile. Triage ECG performed.

i. Describe and interpret his ECG (5 marks) **SEE PROPS BOOKLET – IMAGE G**

ii. List up to 5 questions you would like to ask on history, regarding symptoms (5 marks)

IMAGE G



iii. List and justify up to 3 initial investigations you would like to perform (3 marks)

iv. Prior to any further investigation, he tells you he wants to discharge against your advice. List your management priorities now (3 marks)

Question 69 (12 marks)

A 34 year old woman is brought to ED by ambulance from a shopping centre with an episode of sudden collapse (true syncope) and abdominal pain.

On examination the vital signs are in the normal range and there is no evidence of injury.

(i) State four (4) features in the history that would favour a diagnosis of *'syncope'* over *'seizure'* (4 marks)

(i)	(ii)
(iii)	(iv)

(ii) List the four (4) MOST likely diagnoses you would consider in this case and one (1) examination finding that would support each diagnosis listed (8 marks)

	Diagnosis	Supporting CLINICAL EXAMINATION Finding
(1)		
(2)		
(3)		
(4)		

Question 70 (10 Marks)

A 68-year old female presents to the ED following a brief syncopal event at church. She is now asymptomatic.

1. List **5** features on history that would suggest a specific cause of syncope (5 marks).

	Historical Feature	**Possible Diagnosis**
1.		
2.		
3.		
4.		
5.		


2. List **5** physical signs that you would examine for (2.5 marks).

3. List and justify **5** investigations for this patient (2.5 marks)

	Investigation	**Justification**
1.		
2.		
3.		
4.		
5.		

Question 71 (15 Marks)

A 36 year old lady presents to your ED following a 'fainting episode' while at a school fete. Her ECG is shown:



Questions:

1. Describe the rhythm and give your differential diagnosis?

(3 marks)

2. Describe 3 abnormalities on the ECG and explained how each may lead to syncope. (6 marks)

Abnormality	Mechanism for causing syncope

3. List the components of the San Francisco Syncope Rule and describe its utility.

(6 marks)


Question 72 (13 marks)

A 23 year old lady presents to your ED following an episode of 'feeling faint' with subsequent collapse and brief loss of conscious with spontaneous recovery. Her observations at triage are normal, she is afebrile and alert. An ECG is performed

A 12 LEAD ECG IS SHOWN Below

i. What is your ECG diagnosis? (2 marks)


ii. Outline 5 questions on history that you would like to ask (5 marks)


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II

iii. List and justify initial bedside ED investigations (5marks)

iv. What is your disposition plan for this lady? (1 mark)

Question 73


I
aVR
V1
V4
II
aVL
V2
V5
III
aVF
V3
V6
II
Dev: 064742
Speed: 25 mm/sec
Limb: 10 mm/mV
Chest: 10.0 mm/mV
F 50~ 0.15-100 Hz
PH10
CL P?

Question 73 11 Marks)

A 75 year old woman has been brought to the hospital after having a syncopal episode while at home. At the time of your initial examination, she has recovered fully, with no symptoms.


1. **List 3 causes of neurally mediated syncope. (3 marks)**

2. **List 3 causes of orthostatic hypotension. (3 marks)**

3. **List 5 ECG findings that would suggest arrhythmogenic syncope in a currently asymptomatic patient. (5 marks)**

Question 74 (14 marks)

A 28 year-old-male is brought in by an ambulance following a syncopal episode while at the shopping mall. His initial ECG is shown below.




What is the primary abnormality seen on the above ECG (1 mark)

List 5 pharmacological causes (each from a different class of drug) that may cause the above abnormality (5 marks)

List 3 non-pharmacological causes or risk factors for the above abnormality (3 marks)

While assessing him, you notice the rhythm strip with the ambulance paperwork.



What is the abnormality seen on the rhythm strip? (1 mark)

Discuss your management of this man (4 marks)